Alto Specifications

Specification	5113		
Engine		Petrol	
		1.0L	
Drive system		2WD	
Transmission		5MT/4AT	
Steering		LHD/RHD	
Number of doors		5	
DIMENSIONS			
Overall length mm		3,500	
Overall width mm		1,600	
Overall height mm		1,470	
Wheelbase mm		2,360	
Tread	Front mm	1,405	
	Rear mm	1,4	00
Minimum turning radius m		4.5	
Minimum ground clearance mm		150	
CAPACITIES			
Seating capacity	persons	4	
Luggage capacity	Max. volume litres	774	
	Rear seatback folded (VDA method) litres	367	
	Rear seatback raised (VDA method) litres	129	
Fuel tank capacity	litres	3	5
ENGINE			
Туре		K10B	
Number of cylinders		3	
Number of valves		12	
Piston displacement cm ³		996	
Bore x stroke mm		73.0 x 79.4	
Compression ratio		11.0	
Maximum output kW/rpm		50/6,000	
Maximum torque N-m/rpm		90/4,800	
Fuel distribution		Multipoint injection	
TRANSMISSION			
Туре		5MT	4AT
Gear ratio	1st	3.454	2.875
	2nd	1.904	1.568
	3rd	1.280	1.000
	4th	0.966	0.698
	5th	0.815	-
	Reverse	3.272	2.300
Final gear ratio		3.650	4.375
CHASSIS		Da als au	d atata a
Steering	Front	Rack and pinion	
Brakes Suspension	Front	Ventilated disc	
	Rear	Drum, leading and trailing	
	Front	MacPherson strut with coil spring	
Rear Tures		3-link rigid axle with coil spring 155/65R14	
Tyres		155/6	3K14
WEIGHTS	ith full options)	055/005	880/010
Kerb weight (min./with full options) kg Gross vehicle weight kg		855/885	880/910
Gross vehicle weight kg PERFORMANCE		1,250	
			150
Maximum speed km/h		155	150
0-100 km/h sec. 14 17			
ENVIRONMENTAL PERFORMANCE			
Emission standard compliance		Eur	
Fuel consumption (Combined) litres/100km		4.5	5.3
CO ₂ emissions (Combined) g/km		103	122

Specifications may vary for individual markets.

Figures are not yet homologated and are for reference purposes only.

